

Lepidoptera Taxa described by William Henry Edwards
(1822–1909)
compiled by Joseph Belicek
last updated 8 Jan. 2013

HESPERIOIDEA

Hesperiidae: Eudaminae

Eudamus Dorus

Eudamus Drusius

Eudamus Hippalus

Eudamus Moschus

[*Eudamus*] *Orestes*

Zestusa dorus (W. H. EDWARDS, 1882)

Thorybes drusius (W. H. EDWARDS, [1884])

Cogia hippalus (W. H. EDWARDS, 1882)

Cogia caicus moschus (W. H. EDWARDS, 1882)

Achalarus casica (HERRICH-SCHÄFFER, 1869)

=*Eudamus* *orestes* W. H. EDWARDS (1877) [NN]

Hesperiidae: Pyrginae

Ancyloxypha Lena

Hesperia Hayhurstii

Hesperia Ricara

Hesperia Tamenund

Hesperia Wyandot

Hesperia Zampa

Lintneria W. H. EDWARDS, 1877 (Preocc.)

Pholisora Ceos

Pholisora nessus

Pholisora oricus

Pyrgus Nearctus

Pyrgus philetas

Pyrgus Xanthus

Syrichtus Alba

Syrichtus Oceanus W. H. EDWARDS, 1871

Syrichtus Petreius

Thanaos Alpheus

Thanaos Clitus

Thanaos Tatius

Hesperopsis libya lena (W. H. EDWARDS, 1882)

Staphylus hayhurstii (W. H. EDWARDS, 1870)

Pyrgus ruralis ruralis (BOISDUVAL, 1852)

Eantis tamenund (W. H. EDWARDS, 1871)

Pyrgus centaureae wyandot (W. H. EDWARDS, 1863)

Systasea zampa (W. H. EDWARDS, 1876)

Systasea W. H. EDWARDS, 1877 TS: *Hesperia zampa* W. H. EDWARDS, 1876

Staphylus ceos (W. H. EDWARDS, 1882)

Celotes nessus (W. H. EDWARDS, 1877)

Hesperopsis alpheus oricus (W. H. EDWARDS, 1879)

Heliopyrgus domicella domicella (ERICHSON, [1849])

=*Pyrgus nearctus* W. H. EDWARDS, 1882 [JSS]

Pyrgus philetas W. H. EDWARDS, 1881

Pyrgus xanthus W. H. EDWARDS, 1878

Helioptetes ericetorum (BOISDUVAL, 1852)

=*Syrichtus alba* W. H. EDWARDS, 1866 [JSS]

Helioptetes laviana (HEWITSON, 1868)

Pyrgus ruralis (BOISDUVAL, 1852)

Hesperopsis alpheus (W. H. EDWARDS, 1876)

Erynnis juvenalis clitus (W. H. EDWARDS, 1883)

Erynnis tristis (W. H. EDWARDS, 1883)

Hesperiidae: Heteropterinae

Cyclopides Skada

Hesperia Mandan

Pholisora Pirus

Carterocephalus palaemon skada (W. H. EDWARDS, 1870)

Carterocephalus palaemon mandan (W. H. EDWARDS, 1863)

Piruna pirus (W. H. EDWARDS, 1878) redescribed (1881)

Hesperiidae: Hesperiinae

Amblyscirtes Aenus

Amblyscirtes Cassus

Amblyscirtes erna

Amblyscirtes Nanno

Amblyscirtes Nilus

Amblyscirtes Nysa

Amblyscirtes Simius

Copaeodes Eunus

Copaeodes Myrtis

Amblyscirtes aenus W. H. EDWARDS, 1878

Amblyscirtes cassus W. H. EDWARDS, 1883

Amblyscirtes aenus erna H. FREEMAN, 1943

Amblyscirtes exoteria (HERRICH-SCHÄFFER, 1869)

=*Amblyscirtes nanno* W. H. EDWARDS, 1882 [JSS]

Amblyscirtes eos (W. H. EDWARDS, 1871)

=*Amblyscirtes nilus* W. H. EDWARDS, 1878 [JSS]

Amblyscirtes nysa W. H. EDWARDS, 1877

Notamblyscirtes simius (W. H. EDWARDS, 1881)

Pseudocopaeodes eunus (W. H. EDWARDS, 1881)

Ancyloxypha arene (W. H. EDWARDS, 1871)

=*Copaeodes myrtis* W. H. EDWARDS, 1882 [JSS]

<i>Copaeodes Wrightii</i>	<i>Pseudocopaeodes eunus</i> (W. H. EDWARDS, 1881) = <i>Copaeodes wrightii</i> W. H. EDWARDS, 1882 [JSS]
<i>Hesperia Chusca</i>	<i>Polites sabuleti chusca</i> (W. H. EDWARDS, 1873)
<i>Hesperia Comus</i>	<i>Amblyscirtes eos</i> (W. H. EDWARDS, 1871) = <i>Hesperia comus</i> W. H. EDWARDS, 1876 [JSS]
<i>Hesperia Conspicua</i>	<i>Euphyes conspicua</i> (W. H. EDWARDS, 1863)
<i>Hesperia Dacotah</i>	<i>Polites mystic dacotah</i> (W. H. EDWARDS, 1871)
<i>Hesperia Delaware</i>	<i>Anatrytone logan</i> (W. H. EDWARDS, 1863) = <i>Hesperia delaware</i> W. H. EDWARDS, 1863 [JSS]
<i>Hesperia Deva</i>	<i>Atrytonopsis deva</i> (W. H. EDWARDS, [1877])
<i>Hesperia Eos</i>	<i>Amblyscirtes eos</i> (W. H. EDWARDS, 1871)
<i>Hesperia Eufala</i>	<i>Lerodea eufala</i> (W. H. EDWARDS, 1869)
<i>Hesperia Huron</i>	<i>Atalopedes campestris huron</i> (W. H. EDWARDS, 1863)
<i>Hesperia Logan</i>	<i>Anatrytone logan</i> (W. H. EDWARDS, 1863)
<i>Hesperia maculata</i>	<i>Oligoria maculata</i> (W. H. EDWARDS, 1865)
<i>Hesperia Melane</i>	<i>Poanes melane</i> (W. H. EDWARDS, 1869)
<i>Hesperia Minima</i>	<i>Copaeodes minima</i> (W. H. EDWARDS, 1870)
<i>Hesperia Mystic</i>	<i>Polites mystic</i> (W. H. EDWARDS, 1863)
<i>Hesperia Napa</i>	<i>Ochlodes sylvanoides napa</i> (W. H. EDWARDS, 1865)
<i>Hesperia Nemoris</i>	<i>Amblyscirtes hegona</i> (SCUDDER, 1863) = <i>Hesperia nemoris</i> W. H. EDWARDS, 1864 [JSS]
<i>Hesperia Nereus</i>	<i>Amblyscirtes nereus</i> (W. H. EDWARDS, 1876)
<i>Hesperia Nortonii</i>	<i>Lerema accius</i> (J. E. SMITH, 1797) = <i>Heperia nortonii</i> W. H. EDWARDS, 1867 [JSS]
<i>Hesperia Ocola</i>	<i>Panoquina ocola</i> (W. H. EDWARDS, 1863)
<i>Hesperia Ophis</i>	<i>Panoquina panoquin</i> (SCUDDER, 1863) = <i>Hesperia ophis</i> W. H. EDWARDS, 1871 [JSS]
<i>Hesperia Osyka</i>	<i>Euphyes vestris metacomet</i> (T. HARRIS, 1862) = <i>Hesperia osyka</i> W. H. EDWARDS, 1867 [JSS]
<i>Hesperia Ottoe</i>	<i>Hesperia ottoe</i> W. H. EDWARDS, 1866
<i>Hesperia Pilatka</i>	<i>Euphyes pilatka pilatka</i> (W. H. EDWARDS, 1867)
<i>Hesperia Pontiac</i>	<i>Euphyes conspicua conspicua</i> (W. H. EDWARDS, 1863) = <i>Hesperia pontiac</i> W. H. EDWARDS, 1863 [JSS]
<i>Hesperia Snowi</i>	<i>Paratrytone snowi</i> (W. H. EDWARDS, 1877)
<i>Hesperia Tamenund</i>	<i>Eantis tamenund</i> W. H. EDWARDS, 1871
<i>Hesperia Uncas</i>	<i>Hesperia uncas</i> W. H. EDWARDS, 1863
<i>Hesperia vialis</i>	<i>Amblyscirtes vialis</i> (W. H. EDWARDS, 1862)
<i>Hesperia viator</i>	<i>Poanes viator viator</i> (W. H. EDWARDS, 1865)
<i>Hesperia Waco</i>	<i>Copaeodes aurantiaca</i> (HEWITSON, 1868) = <i>Hesperia waco</i> W. H. EDWARDS, 1868 [JSS]
<i>Hesperia Wakulla</i>	<i>Amblyscirtes aesculapius</i> (FABRICIUS, 1793)
<i>Hesperia Yreka</i>	<i>Ochlodes agricola agricola</i> (BOISDUVAL, 1852) = <i>Hesperia yreka</i> W. H. EDWARDS, 1866 [JSS]
<i>Hesperia Yuma</i>	<i>Ochlodes yuma yuma</i> (W. H. EDWARDS, 1873)
<i>Heteropterus Arene</i>	<i>Ancyloxypha arene</i> (W. H. EDWARDS, 1871)
<i>Heteropterus Procris</i>	<i>Copaeodes aurantiaca</i> (HEWITSON, 1868) = <i>Heteropterus procris</i> W. H. EDWARDS, 1871 [JSS]
<i>Megathymus Neumoegeni</i>	<i>Agathymus neumoegeni</i> (W. H. EDWARDS, 1882)
<i>P[amphila] Dion</i>	<i>Euphyes dion</i> (W. H. EDWARDS, 1879)
<i>Pamphila Arabus</i>	<i>Lerodea arabus</i> (W. H. EDWARDS, 1882)
<i>Pamphila Attalus</i>	<i>Hesperia attalus</i> (W. H. EDWARDS, 1871)
<i>Pamphila Bellus</i>	<i>Amblyscirtes fimbriata</i> (PLÖTZ, 1882) = <i>Pamphila bellus</i> W. H. EDWARDS, 1884 [JSS]
<i>Pamphila Brettoides</i>	<i>Polites vibex brettoides</i> (W. H. EDWARDS, 1883)

<i>Pamphila Byssus</i>	<i>Problema byssus byssus</i> (W. H. EDWARDS, 1880)
<i>Pamphila Cabelus</i>	<i>Hesperia colorado harpalus</i> (W. H. EDWARDS, 1881) = <i>Pamphila cabelus</i> W. H. EDWARDS, 1881 [JSS]
<i>Pamphila Carus</i>	<i>Polites carus</i> (W. H. EDWARDS, 1883)
<i>Pamphila Cestus</i>	<i>Atrytonopsis cestus</i> (W. H. EDWARDS, 1884)
<i>Pamphila Colorado</i> var. <i>Idaho</i>	<i>Hesperia colorado idaho</i> (W. H. EDWARDS, 1883)
<i>Pamphila Draco</i>	<i>Polites draco</i> (W. H. EDWARDS, 1871)
<i>Pamphila Harpalus</i>	<i>Hesperia colorado harpalus</i> (W. H. EDWARDS, 1881)
<i>Pamphila Horus</i>	<i>Hesperia metea licinus</i> (W. H. EDWARDS, 1871); = <i>Pamphila horus</i> W. H. EDWARDS, 1871 [JSS]
[<i>Pamphila Juba</i>] var. <i>Viridis</i>	<i>Hesperia viridis</i> (W. H. EDWARDS, 1883)
<i>Pamphila Lagus</i>	<i>Anatrytone logan lagus</i> (W. H. EDWARDS, 1881)
<i>Pamphila Lasus</i>	<i>Hesperia uncas lasus</i> (W. H. EDWARDS, 1884)
<i>Pamphila Liciinus</i>	<i>Hesperia metea licinus</i> (W. H. EDWARDS, 1871)
<i>Pamphila Lunus</i>	<i>Atrytonopsis lunus</i> (W. H. EDWARDS, 1884)
<i>Pamphila mardon</i>	<i>Polites mardon</i> (W. H. EDWARDS, 1881)
<i>Pamphila Meskei</i>	<i>Hesperia meskei</i> (W. H. EDWARDS, 1877)
<i>Pamphila Milo</i>	<i>Ochlodes agricola nemorum</i> (BOISDUVAL, 1852)
<i>Pamphila Morrisoni</i>	<i>Stinga morrisoni</i> (W. H. EDWARDS, 1878)
<i>Pamphila Phylace</i>	<i>Amblyscirtes phylace</i> (W. H. EDWARDS, 1878)
<i>Pamphila Pittacus</i>	<i>Atrytonopsis pittacus</i> (W. H. EDWARDS, 1882)
<i>Pamphila Python</i>	<i>Atrytonopsis python</i> (W. H. EDWARDS, 1882)
<i>Pamphila Regulus</i>	<i>Atrytonopsis loammi</i> (WHITNEY, 1876) = <i>Pamphila regulus</i> W. H. EDWARDS, 1881 [JSS]
<i>Pamphila Rhena</i>	<i>Polites origenes rhena</i> (W. H. EDWARDS, 1878)
<i>Pamphila Rhesus</i>	<i>Polites rhesus</i> (W. H. EDWARDS, 1878)
<i>Pamphila rurea</i>	<i>Euphyes vestris metacomet</i> (T. HARRIS, 1862) = <i>Pamphila rurea</i> W. H. EDWARDS, 1862 [JSS]
<i>Pamphila siris</i>	<i>Polites sonora siris</i> (W. H. EDWARDS, 1881)
<i>Pamphila straton</i>	<i>Hesperia meskei straton</i> (W. H. EDWARDS, 1881)
<i>Pamphila Taxiles</i>	<i>Poanes taxiles</i> (W. H. EDWARDS, 1881)
<i>Pamphila verna</i>	<i>Pompeius verna</i> (W. H. EDWARDS, 1862)
<i>Pamphila Verus</i>	<i>Ochlodes agricola verus</i> (W. H. EDWARDS, 1881)
[<i>Pamphila</i>] <i>Oregonia</i>	<i>Hesperia colorado oregonia</i> (W. H. EDWARDS, 1883)
<i>Thymeticus</i> [sic!] <i>Hylax</i>	<i>Oarisma garita garita</i> (REAKIRT, 1866) = <i>Thymeticus hylax</i> W. H. EDWARDS, 1871 [JSS]

PAPILIONOIDEA

Papilionidae: Parnassiinae

<i>Parnassius Baldur</i>
<i>Parnassius Behrii</i>
<i>Parnassius Sayii</i>

<i>Parnassius clodius baldur</i> W. H. EDWARDS, 1877
<i>Parnassius Behrii</i> W. H. EDWARDS, 1870
<i>Parnassius smintheus sayii</i> W. H. EDWARDS, 1863

Papilionidae: Papilioninae

[<i>Papilio Ajax</i>] var. <i>Abbotii</i>
[<i>Papilio Ajax</i>] var. <i>Walshii</i>
<i>Papilio Bairdii</i>
<i>Papilio Brucei</i>
<i>Papilio Hippocrates</i> var. <i>Oregonius</i>
<i>Papilio Hollandii</i>

<i>Eurytides marcellus</i> (CRAMER, 1777)
<i>Papilio ajax</i> [var.] <i>abbotii</i> W. H. EDWARDS, 1872 [JSS]
<i>Eurytides marcellus</i> (CRAMER, 1777)
= <i>Papilio ajax</i> var. <i>walshii</i> W. H. EDWARDS, 1876 [JSS]
<i>Papilio machaon bairdii</i> W. H. EDWARDS, 1866
<i>Papilio machaon bairdii</i> W. H. EDWARDS, 1866
= <i>Papilio brucei</i> W. H. EDWARDS, 1893 [JSS]
<i>Papilio machaon oregonius</i> W. H. EDWARDS, 1876
<i>Papilio machaon bairdii</i> W. H. EDWARDS, 1866
= <i>Papilio hollandii</i> W. H. EDWARDS, 1892 [JSS]

Papilio Nitra
[*Papilio*] *Rutulus* var. *Arizonensis*

Pieridae: Coliadinae

Colias Alexandra
Colias Ariadne

Colias Astraea
Colias Behrii
[*Colias Eurydice*] *Bernardino*

Colias Chippewa
Colias Christina
Colias Edwardsii
Colias Emilia

Colias Eriphyle
Colias Hagenii

Colias Helena

Colias Keewaydin

Terias Linda

C[olias] [philodice] maria

Colias Meadii
Colias Solivaga

Pieridae: Pierinae

[*Pieris Bryoniae*] *Acadica*
[*Pieris Oleracea*] *aestiva*

Pieris Beckerii
Pieris Calyce
[*Pieris Oleracea*] aberr. *Flava*

[*Pieris Venosa*] aberr. *Flava*

[*Pieris Sisymbrii*] var. *Flava*

Pieris Hulda
Anthocaris [sic]! *Hyantis*
[*Pieris*] *Oleracea hyemalis*

Anthocharis Julia
Anthocharis Morrisoni
Pieris Nasturtii
Pieris Nelsoni
Anthocaris [sic]! *Olympia*
Anthocharis Pima
Anthocharis Reakirtii

Papilio zelicaon LUCAS, 1852
= *Papilio nitra* W. H. EDWARDS, [1884] [JSS]
Papilio rutulus LUCAS, 1852

Colias alexandra W. H. EDWARDS, 1863
Colias erytheme BOISDUVAL, 1852
= *Colias ariadne* W. H. EDWARDS, 1870 [JSS]
Colias alexandra astraea W. H. EDWARDS, 1872
Colias BEHRII W. H. EDWARDS, 1866
Zerene eurydice (BOISDUVAL, 1855)
= *Colias eurydice bernardino* W. H. EDWARDS, 1887 [JSS]
Colias palaeno chippewa W. H. EDWARDS, 1870
Colias christina christina W. H. EDWARDS, 1863
Colias alexandra edwardsii W. H. EDWARDS, 1870
Colias alexandra edwardsii W. H. EDWARDS, 1870
= *Colias emilia* W. H. EDWARDS, 1870 [JSS]
Colias philodice eriphyle W. H. EDWARDS, 1876
Colias philodice eriphyle W. H. EDWARDS, 1876
= *Colias hagenii* W. H. EDWARDS, [1884] [JSS]
Colias palaeo chippewa W. H. EDWARDS, 1870
= *Colias helena* W. H. EDWARDS, 1863 [JSS]
Colias erytheme BOISDUVAL, 1852
= *Colias keewaydin* W. H. EDWARDS, 1869 [JSS]
Pyrisitia nise nelphe (R. FELDER, 1869)
= *Terias linda* W. H. EDWARDS, 1884 [JSS]
Colias philodice philodice GODART, 1819
= *Colias philodice maria* W. H. EDWARDS, 1885 [Infr]
Colias meadii meadii W. H. EDWARDS, 1871
Colias interior SCUDDER, 1862
= *Colias solivaga* W. H. EDWARDS, 1877 [NN]

Pieris oleracea frigida SCUDDER, 1861
Pieris oleracea oleracea (T. HARRIS, 1829)
= *Pieris oleracea aestiva* W. H. EDWARDS, 1881 [Infr]
Pontia beckerii (W. H. EDWARDS, 1871)
Pontia occidentalis occidentalis (REAKIRT, 1866)
Pieris marginalis SCUDDER, 1861
= *Pieris oleracea* ab. *flava* W. H. EDWARDS, 1881 [Infr]
Pieris marginalis venosa SCUDDER, 1861
= [*Pieris Venosa*] ab. *flava* W. H. EDWARDS, 1881 [Infr]
Pontia sisymbrii sisymbrii (BOISDUVAL, 1852)
[*Pieris Sisymbrii*] var. *flava* W. H. EDWARDS, 1883 [Infr]
Pieris marginalis hulda W. H. EDWARDS, 1869
Euchloe hyantis hyantis (W. H. EDWARDS, 1871)
Pieris oleracea oleracea (T. HARRIS, 1829)
= *Pieris oleracea hyemalis* W. H. EDWARDS, 1881 [Infr]
Anthocharis sara julia W. H. EDWARDS, 1872
Anthocharis cethura morrisoni W. H. EDWARDS, 1881
Pontia protodice (BOISDUVAL & LE CONTE, [1830])
Pontia occidentalis nelsoni (W. H. EDWARDS, 1883)
Euchloe olympia (W. H. EDWARDS, 1871)
Anthocharis cethura pima W. H. EDWARDS, 1888
Anthocharis sara sara LUCAS, 1852

<i>Anthocharis Rosa</i>	= <i>Anthocharis Reakirti</i> W. H. EDWARDS, 1869 [JSS]
<i>Anthocharis Stella</i>	<i>Euchloe olympia</i> (W. H. EDWARDS, 1871)
<i>Pieris Vernalis</i>	= <i>Anthocharis rosa</i> W. H. EDWARDS, 1882 [JSS]
<i>Pieris Virgininiensis</i>	<i>Anthocharis sara stella</i> W. H. EDWARDS, 1879 <i>Pontia protodice</i> (BOISDUVAL & LE CONTE, [1830]) <i>Pieris vernalis</i> W. H. EDWARDS, 1864 [JSS] <i>Pieris virgininiensis virgininiensis</i> W. H. EDWARDS, 1870

Lycaenidae: Lycaeninae

<i>Chrysophanus Cupreus</i>	<i>Lycaena cuprea</i> (W. H. EDWARDS, 1870)
<i>Chrysophanus Florus</i>	<i>Lycaena dorcas florus</i> (W. H. EDWARDS, [1884])
<i>Chrysophanus Hermes</i>	<i>Lycaena hermes</i> (W. H. EDWARDS, 1870)
<i>Chrysophanus Ianthe</i>	<i>Lycaena nivalis nivalis</i> (BOISDUVAL, 1869) = <i>Chrysophanus ianthe</i> W. H. EDWARDS, 1871 [JSS]
<i>Chrysophanus Sirius</i>	<i>Lycaena rubidus sirius</i> (W. H. EDWARDS, 1871)
<i>C[hrysophanus] Snowi</i>	<i>Lycaena cuprea snowi</i> (W. H. EDWARDS, [1881])
<i>Chrysophanus Virgininiensis</i>	<i>Lycaena arota virginiensis</i> (W. H. EDWARDS, 1870)

Lycaenidae: Theclinae

<i>Lycaena fuliginosa</i>	<i>Satyrium fuliginosa fuliginosa</i> (W. H. EDWARDS, 1861)
<i>Thecla acadica</i>	<i>Satyrium acadica acadica</i> (W. H. EDWARDS, 1862)
<i>Thecla Affinis</i>	<i>Callophrys affinis</i> (W. H. EDWARDS, 1862)
<i>Thecla Alcestis</i>	<i>Phaeostrymon alcestis</i> (W. H. EDWARDS, 1871)
<i>Thecla Apama</i>	<i>Callophrys affinis apama</i> (W. H. EDWARDS, 1882)
<i>Thecla Autolycus</i>	<i>Satyrium favonius autolycus</i> (W. H. EDWARDS, 1871)
<i>Thecla Behrii</i>	<i>Satyrium behrii</i> (W. H. EDWARDS, 1870)
<i>Thecla Californica</i>	<i>Satyrium californica californica</i> (W. H. EDWARDS, 1862)
<i>Thecla Castalis</i>	<i>Callophrys gryneus castalis</i> (W. H. EDWARDS, 1871)
<i>Thecla Chalcis</i>	<i>Satyrium saepium chalcis</i> (W. H. EDWARDS, 1869)
<i>Thecla Clothilde</i>	<i>Erora laeta</i> (W. H. EDWARDS, 1862) = <i>Thecla clothilde</i> W. H. EDWARDS, 1863 [JSS]
<i>Thecla Clytie</i>	<i>Ministrymon clytie</i> (W. H. EDWARDS, 1877)
<i>Thecla Crysalus</i>	<i>Hypaurotis crysalus</i> (W. H. EDWARDS, 1873)
<i>Thecla Cygnus</i>	<i>Satyrium californica cygnus</i> (W. H. EDWARDS, 1871)
<i>Thecla Dryope</i>	<i>Satyrium sylvinus dryope</i> (W. H. EDWARDS, 1870)
<i>Thecla Ines</i>	<i>Ministrymon leda</i> (W. H. EDWARDS, 1882) = <i>Thecla ines</i> W. H. EDWARDS, 1882 [JSS]
<i>Thecla Itys</i>	<i>Satyrium sylvinus itys</i> (W. H. EDWARDS, 1882)
<i>Thecla laeta</i>	<i>Erora laeta</i> (W. H. EDWARDS, 1862)
<i>Thecla Leda</i>	<i>Ministrymon leda</i> (W. H. EDWARDS, 1882)
<i>Thecla Ninus</i>	<i>Callophrys spinetorum</i> (HEWITSON, 1867) = <i>Thecla ninus</i> W. H. EDWARDS, 1871 [JSS]
<i>Thecla Ontario</i>	<i>Satyrium favonius ontario</i> (W. H. EDWARDS, 1868)
<i>Thecla Sheridanii</i>	<i>Callophrys sheridanii</i> (W. H. EDWARDS, 1877) [emended]
<i>Thecla Siva</i>	<i>Callophrys gryneus siva</i> (W. H. EDWARDS, 1874)
<i>Thecla Tetra</i>	<i>Satyrium tetra</i> (W. H. EDWARDS, 1870)
<i>Thecla Viridis</i>	<i>Callophrys dumetorum</i> (BOISDUVAL, 1852) = <i>Thecla viridis</i> W. H. EDWARDS, 1862 [JSS]
<i>Thecla Wittfeldii</i>	<i>Satyrium calanus</i> (HÜBNER, [1809]) = <i>Thecla wittfeldii</i> W. H. EDWARDS, 1883 [JSS]

Lycaenidae: Polyommatinae

[<i>Lycaena Pseudoargiolus</i>] var. <i>Cinerea</i>	<i>Celastrina echo cinerea</i> (W. H. EDWARDS, 1883)
[<i>Lycaena Pseudoargiolus</i>] var. <i>Arizonensis</i>	= <i>Lycaena pseudargiolus</i> var. <i>arizonensis</i> W. H. EDWARDS, [1885] [JSS]

<i>Lycaena Afra</i>	<i>Glaucopsyche lygdamus afra</i> (W. H. EDWARDS, [1884])
<i>Lycaena Alce</i>	<i>Echinargus isola</i> (Reakirt, [1867]) = <i>Lycaena alce</i> W. H. EDWARDS, 1871 [JSS]
<i>Lycaena Amica</i>	<i>Plebejus saepiolus amica</i> (W. H. EDWARDS, 1863)
<i>Lycaena Anna</i>	<i>Plebejus anna</i> (W. H. EDWARDS, 1861)
<i>Lycaena Annetta</i>	<i>Plebejus melissa annetta</i> (W. H. EDWARDS, 1882)
<i>Lycaena Ardea</i>	<i>Plebejus icariooides fulla</i> (W. H. EDWARDS, 1870) = <i>Lycaena ardea</i> W. H. EDWARDS, 1871 [JSS]
<i>Lycaena Aster</i>	<i>Plebejus idas aster</i> (W. H. EDWARDS, 1882)
<i>Lycaena Behrii</i>	<i>Glaucopsyche lygdamus xerxes</i> (BOISDUVAL, 1852) = <i>Lycaena Behrii</i> W. H. EDWARDS, 1862 [JSS]
<i>Lycaena Cyna</i>	<i>Zizula cyna</i> (W. H. EDWARDS, 1881)
<i>Lycaena Daunia</i>	<i>Glaucopsyche piasus daunia</i> (W. H. EDWARDS, 1871)
<i>Lycaena Echo</i>	<i>Celastrina echo</i> (W. H. EDWARDS, 1864)
<i>Lycaena Fea</i>	<i>Brephidium exilis exilis</i> (BOISDUVAL, 1852) = <i>Lycaena fea</i> W. H. EDWARDS, 1871 [JSS]
<i>Lycaena Fulla</i>	<i>Plebejus icariooides fulla</i> (W. H. EDWARDS, 1870)
<i>Lycaena Glaucon</i>	<i>Euphilotes glaucon</i> (W. H. EDWARDS, 1871)
<i>Lycaena Gyas</i>	<i>Hemimargus ceraunus gyas</i> (W. H. EDWARDS, 1871)
<i>Lycaena Helios</i>	<i>Plebejus icariooides helios</i> (W. H. EDWARDS, 1871)
<i>Lycaena Kodiak</i>	<i>Plebejus saepiolus amica</i> (W. H. EDWARDS, 1863) = <i>Lycaena kodiak</i> W. H. EDWARDS, 1870 [JSS]
<i>Lycaena Lycea</i>	<i>Plebejus icariooides lycea</i> (W. H. EDWARDS, 1864)
<i>Lycaena Melissa</i>	<i>Plebejus melissa</i> (W. H. EDWARDS, 1873)
<i>Lycaena Mertila</i>	<i>Glaucopsyche lygdamus xerxes</i> (BOISDUVAL, 1852) = <i>Lycaena mertila</i> W. H. EDWARDS, 1866 [JSS]
<i>Lycaena Mintha</i>	<i>Plebejus icariooides pardalis</i> (BEHR, 1867) = <i>Lycaena mintha</i> W. H. EDWARDS, 1870 [JSS]
<i>Lycaena neglecta</i>	<i>Celastrina neglecta</i> (W. H. EDWARDS, 1862)
<i>Lycaena Orcus</i>	<i>Glaucopsyche lygdamus orcus</i> (W. H. EDWARDS, 1869)
<i>Lycaena Pembina</i>	<i>Plebejus icariooides pembina</i> (W. H. EDWARDS, 1862)
[<i>Lycaena Pseudargiolus</i> form] <i>Marginata</i>	<i>Celastrina lucia</i> (W. KIRBY, 1837) = <i>Lycaena pseudoargiolus marginata</i> W. H. EDWARDS, 1883 [JSS]
[<i>Lycaena Pseudargiolus</i> Winter form <i>Violacea</i>] dimorphic male <i>Nigra</i>	<i>Celastrina nigra</i> (W. Forbes, 1960) = <i>Lycaena pseudoargiolus</i> [winter form] <i>violacea</i> dimorphic ♂ <i>Nigra</i> W. H. EDWARDS [1885] [Infr]
[<i>Lycaena Pseudargiolus</i>] var. <i>Arizonensis</i>	<i>Celastrina echo cinerea</i> (W. H. EDWARDS, 1883)
<i>Lycaena Pseudargiolus</i> var. <i>Cinerea</i>	<i>Plebejus glandon rustica</i> (W. H. EDWARDS, 1865)
<i>Lycaena Rustica</i>	<i>Plebejus idas Scudderii</i> (W. H. EDWARDS, 1861)
<i>Lycaena Scudderii</i>	<i>Plebejus shasta</i> (W. H. EDWARDS, 1862)
<i>Lycaena Shasta</i>	<i>Leptotes cassius cassidula</i> (BOISDUVAL, 1870) = <i>Lycaena striata</i> W. H. EDWARDS, 1877 [JSS]
<i>Lycaena Striata</i>	<i>Glaucopsyche piasus piasus</i> (BOISDUVAL, 1852) = <i>Lycaena viaca</i> W. H. EDWARDS, 1871 [JSS]
<i>Lycaena Viaca</i>	<i>Celastrina ladon</i> (CRAMER, 1780) = <i>Lycaena violacea</i> W. H. EDWARDS, 1866 [JSS]
<i>Lycaena Violacea</i>	
Riodinidae	
<i>Charis Australis</i>	<i>Calephelis nemesis australis</i> (W. H. EDWARDS, 1877)
<i>Charis Nemesis</i>	<i>Calephelis nemesis</i> (W. H. EDWARDS, 1871)

<i>Chrysophanus Nais</i>	<i>Apodemia nais</i> (W. H. EDWARDS, [1877])
<i>Lemonias Ares</i>	<i>Emesis ares</i> (W. H. EDWARDS, 1882)
<i>Lemonias Cleis</i>	<i>Emesis zela cleis</i> (W. H. EDWARDS, 1882)
<i>Lemonias Cythera</i>	<i>Apodemia mormo cythera</i> (W. H. EDWARDS, 1873)
<i>Lemonias Duryi</i>	<i>Apodemia duryi</i> (W. H. EDWARDS, 1882)
<i>Lemonias Palmerii</i>	<i>Apodemia palmerii</i> (W. H. EDWARDS, 1870)

Nymphalidae: Limenitidinae

<i>Limenitis Eros</i> var. <i>obsoleta</i>	<i>Limenitis archippus obsoleta</i> W. H. EDWARDS, 1882
<i>Limenitis Eros</i>	<i>Limenitis archippus floridensis</i> STRECKER, 1878 = <i>Limenitis eros</i> W. H. EDWARDS, 1880 [JSS]
<i>Limenitis Hulstii</i>	<i>Limenitis archippus obsoleta</i> W. H. EDWARDS, 1882 = <i>Limenitis hulstii</i> W. H. EDWARDS, 1882 [JSS]
<i>Limenitis Proserpina</i>	<i>Limenitis arthemis arthemis</i> (Drury, 1773) = <i>Limenitis proserpina</i> W. H. EDWARDS, 1865 [JSS]
<i>Limenitis Ursula</i> var. <i>Arizonensis</i>	<i>Limenitis arthemis arizonensis</i> W. H. EDWARDS, 1882
<i>Limenitis Weidemeyerii</i>	<i>Limenitis weidemeyerii weidemeyerii</i> W. H. EDWARDS, 1861
<i>Limenitis weidemeyerii</i> ab. <i>sine-fascia</i>	<i>Limenitis weidemeyerii angustifascia</i> (W. BARNES & McDUNNOUGH, 1912) = <i>Limenitis weidemeyerii</i> ab. <i>sinefasciata</i> W. H. EDWARDS, 1882 [Infr]

Nymphalidae: Heliconiinae

<i>Argynnis Adiaste</i>	<i>Speyeria adiaste</i> (W. H. EDWARDS, 1864)
<i>Argynnis Alberta</i>	<i>Boloria alberta</i> (W. H. EDWARDS, 1890)
<i>Argynnis Alcestis</i>	<i>Speyeria aphrodite alcestis</i> (W. H. EDWARDS, [1877])
<i>Argynnis Artonis</i>	<i>Speyeria mormonia artonis</i> (W. H. EDWARDS, 1881)
<i>Argynnis Astarte</i>	<i>Speyeria egleis egleis</i> (BEHR, 1862); JSS
<i>Argynnis Astarte</i>	<i>Speyeria mormonia mormonia</i> (BOISDUVAL, 1869) = <i>Argynnia astarte</i> W. H. EDWARDS, 1862 [JH]
<i>Argynnis atlantis</i>	<i>Speyeria atlantis</i> (W. H. EDWARDS, 1862)
<i>Argynnis Atossa</i>	<i>Speyeria adiaste atossa</i> (W. H. EDWARDS, 1890)
<i>Argynnis Behrensi</i>	<i>Speyeria zerene behrensi</i> (W. H. EDWARDS, 1869)
<i>Argynnis Bischoffii</i>	<i>Speyeria mormonia bischoffi</i> (W. H. EDWARDS, 1870)
<i>Argynnis Bremnerii</i>	<i>Speyeria zerene bremnerii</i> (W. H. EDWARDS, 1872)
<i>Argynnis Butleri</i>	<i>Boloria chariclea butleri</i> (W. H. EDWARDS, 1883)
<i>Argynnis Carpenterii</i>	<i>Speyeria cybele carpenterii</i> (W. H. EDWARDS, 1876)
<i>Argynnis Chitone</i>	<i>Speyeria hesperis chitone</i> (W. H. EDWARDS, 1879)
<i>Argynnis Clio</i>	<i>Speyeria mormonia eurynome</i> (W. H. EDWARDS, 1872) = <i>Argynnis clio</i> W. H. EDWARDS, 1874 [JSS]
<i>Argynnis Cornelia</i>	<i>Speyeria hesperis electa</i> (W. H. EDWARDS, 1878) = <i>Argynnis cornelia</i> W. H. EDWARDS, 1892 [JSS]
<i>Argynnis cypris</i>	<i>Speyeria aphrodite ethne</i> (Hemming, 1933) = <i>Argynnis cypris</i> W. H. EDWARDS, 1886 [JH]
<i>Argynnis Electa</i>	<i>Speyeria hesperis electa</i> (W. H. EDWARDS, 1878)
<i>Argynnis Epithore</i>	<i>Boloria epithore epithore</i> (W. H. EDWARDS, 1864)
<i>Argynnis Eury nome</i> var. <i>Erinna</i>	<i>Speyeria mormonia erinna</i> (W. H. EDWARDS, 1883)
<i>Argynnis Eury nome</i>	<i>Speyeria mormonia eurynome</i> (W. H. EDWARDS, 1872)
<i>Argynnis Halcyone</i>	<i>Speyeria coronis halcyone</i> (W. H. EDWARDS, [1869])
<i>Argynnis Helena</i>	<i>Boloria chariclea helena</i> (W. H. EDWARDS, 1871)
<i>Argynnis Hesperis</i>	<i>Speyeria hesperis</i> (W. H. EDWARDS, 1864)
<i>Argynnis Hippolyta</i>	<i>Speyeria zerene hippolyta</i> (W. H. EDWARDS, 1879)
<i>Argynnis Inornata</i>	<i>Speyeria callippe inornata</i> (W. H. EDWARDS, 1872)
<i>Argynnis Lais</i>	<i>Speyeria hesperis helena</i> DOS PASSOS & GREY, 1957 = <i>Argynnis lais</i> W. H. EDWARDS, [1884] [JH]
<i>Argynnis Laura</i>	<i>Speyeria callippe juba</i> (BOISDUVAL, 1869) = <i>Argynnis laura</i> W. H. EDWARDS, 1879 [JSS]

[<i>Argynnис Liliana</i>] var. <i>Baroni</i>	<i>Speyeria callippe liliana</i> (HY. EDWARDS, 1877) = <i>Argynnис liliana v. baroni</i> W. H. EDWARDS, 1881 [JSS]
<i>Argynnис Macaria</i>	<i>Speyeria callippe macaria</i> (W. H. EDWARDS, 1877)
<i>Argynnис Meadii</i>	<i>Speyeria callippe meadii</i> (W. H. EDWARDS, 1872)
<i>Argynnис Nausicaa</i>	<i>Speyeria hesperis nausicaa</i> (W. H. EDWARDS, 1874)
<i>Argynnис Nevadensis</i>	<i>Speyeria callippe nevadensis</i> (W. H. EDWARDS, 1870)
<i>Argynnис Nitocris</i>	<i>Speyeria nokomis nitocris</i> (W. H. EDWARDS, 1874)
<i>Argynnис Nokomis</i>	<i>Speyeria nokomis nokomis</i> (W. H. EDWARDS, 1862)
<i>Argynnис Opis</i>	<i>Speyeria mormonia opis</i> (W. H. EDWARDS, 1874)
<i>Argynnис Oweni</i>	<i>Speyeria egleis oweni</i> (W. H. EDWARDS, 1892)
<i>Argynnис Rhodope</i>	<i>Speyeria hydaspe rhodope</i> (W. H. EDWARDS, 1874)
<i>Argynnис Semiramis</i>	<i>Speyeria coronis semiramis</i> (W. H. EDWARDS, 1886)
<i>Argynnис Victoria</i>	<i>Boloria astarte astarte</i> (E. DOUBLEDAY, [1847]) = <i>Argynnис victoria</i> W. H. EDWARDS, 1891 [JSS]

Nymphalidae: Apaturinae

<i>Apatura Alicia</i>	<i>Asterocampa celtis</i> (BOISDUVAL & LE CONTE, [1835]); = <i>Apatura alicia</i> W. H. EDWARDS, 1868 [JSS]
<i>Apatura Antonia</i>	<i>Asterocampa celtis antonia</i> (W. H. EDWARDS, [1878])
<i>Apatura Antonia</i> var. <i>Montis</i>	<i>Asterocampa celtis antonia</i> (W. H. EDWARDS, [1878]) = <i>Apatura antonia</i> var. <i>montis</i> W. H. EDWARDS, 1883 [JSS]
<i>Apatura Leilia</i>	<i>Asterocampa leilia</i> (W. H. EDWARDS, 1874)
[<i>Apatura Clyton</i>] var. <i>Ocellata</i>	<i>Asterocampa clyton</i> (BOISDUVAL & LE CONTE, [1835]) = <i>Apatura Clyton</i> var. <i>ocellata</i> W. H. EDWARDS, 1876 [JSS]
[<i>Apatura Clyton</i>] var. <i>Flora</i>	<i>Asterocampa clyton flora</i> (W. H. EDWARDS, 1876)

Nymphalidae: Nymphalinae

<i>Eresia cincta</i>	<i>Janatella leucodesma</i> ; (C. & R. FELDER, 1861) = <i>Eresia cincta</i> W. H. EDWARDS, 1864 [JSS]
<i>Eresia Punctata</i>	<i>Anthanassa tulcis</i> (H. Bates, 1864) = <i>Eresia punctata</i> W. H. EDWARDS, 1870 [JSS]
[<i>Grapta</i>] <i>comma</i> var. <i>Harrisii</i>	<i>Polygonia comma</i> (T. HARRIS, 1841) = <i>Grapta comma</i> var. <i>harrisii</i> W. H. EDWARDS, 1873 [JSS]
<i>G. [rapta] Fabricii</i>	<i>Polygonia interrogationis</i> (FABRICIUS, 1798) = <i>Grapta fabricii</i> W. H. EDWARDS, 1870 [JSS]
<i>Grapta Dryas</i>	<i>Polygonia comma</i> (T. HARRIS, 1841) = <i>Grapta dryas</i> W. H. EDWARDS, 1870 [JSS]
<i>Grapta Faunus</i>	<i>Polygonia faunus</i> (W. H. EDWARDS, 1862)
<i>Grapta Hylas</i>	<i>Polygonia faunus hylas</i> (W. H. EDWARDS, 1872)
<i>Grapta Oreas</i>	<i>Polygonia oreas</i> (W. H. EDWARDS, 1869)
<i>Grapta Marsyas</i>	<i>Polygonia c-album</i> LINNAEUS, 1758 = <i>Grapta Marsyas</i> W. H. EDWARDS, 1874 [JSS]
<i>Grapta Rusticus</i>	<i>Polygonia faunus rusticus</i> (W. H. EDWARDS, 1874)
<i>Grapta Satyrus</i>	<i>Polygonia satyrus</i> (W. H. EDWARDS, 1869)
<i>Grapta Silenus</i>	<i>Polygonia oreas silenus</i> (W. H. EDWARDS, 1870)
<i>Grapta Silvius</i>	<i>Polygonia faunus rusticus</i> (W. H. EDWARDS, 1874) = <i>Grapta silvius</i> W. H. EDWARDS, 1874 [JSS]
<i>Grapta Zephyrus</i>	<i>Polygonia gracilis zephyrus</i> (W. H. EDWARDS, 1870)
<i>M. [elitaea] Brucei</i>	<i>Euphydryas anicia brucei</i> (W. H. EDWARDS, 1888)
<i>M. [elitaea] Colon</i>	<i>Euphydryas colon</i> (W. H. EDWARDS, 1881)
<i>M. [elitaea] Perdiceas</i>	<i>Euphydryas colon</i> (W. H. EDWARDS, 1881) = <i>Melitaea perdiccas</i> W. H. EDWARDS, 1881 [JSS]
<i>M. [elitaea] Taylori</i>	<i>Euphydryas editha taylori</i> (W. H. EDWARDS, 1888)

<i>Melitaea Acastus</i>	<i>Chlosyne acastus acastus</i> (W. H. EDWARDS, 1874) (1870)
<i>Melitaea Arachne</i>	<i>Poladryas arachne arachne</i> (W. H. EDWARDS, 1869)
<i>Melitaea Augusta</i>	<i>Euphydryas editha quino</i> (BEHR, 1863)
<i>Melitaea Baroni</i>	<i>Euphydryas editha baroni</i> (W. H. EDWARDS, 1879)
<i>Melitaea Bollii</i>	<i>Chlosyne theona bollii</i> (W. H. EDWARDS, [1878])
<i>Melitaea Chara</i>	<i>Dymasia dymas chara</i> (W. H. EDWARDS, [1884])
<i>Melitaea dydas</i>	<i>Dymasia dymas</i> (W. H. EDWARDS, 1877)
<i>Melitaea Fulvia</i>	<i>Chlosyne fulvia</i> (W. H. EDWARDS, 1879)
<i>Melitaea Marcia</i>	<i>Phyciodes cocyta selenis</i> (W. Kirby, 1837) = <i>Melitaea marcia</i> W. H. EDWARDS, 1868 [JSS]
<i>Melitaea minuta</i>	<i>Poladryas minuta</i> (W. H. EDWARDS, 1861)
<i>Melitaea mylitta</i>	<i>Phyciodes mylitta</i> (W. H. EDWARDS, 1861)
<i>Melitaea Nympha</i>	<i>Poladryas arachne nympha</i> (W. H. EDWARDS, 1884)
<i>Melitaea Pallida</i>	<i>Phyciodes pallida</i> (W. H. EDWARDS, 1864)
<i>Melitaea Perse</i>	<i>Texola elada perse</i> (W. H. EDWARDS, 1882)
<i>Melitaea Phaon</i>	<i>Phyciodes phaon</i> (W. H. EDWARDS, 1864)
<i>Melitaea Picta</i>	<i>Phyciodes picta</i> (W. H. EDWARDS, 1865)
<i>Melitaea Sterope</i>	<i>Chlosyne acastus sterope</i> (W. H. EDWARDS, 1870)
<i>Melitaea Texana</i>	<i>Anthanassa texana</i> (W. H. EDWARDS, 1863)
<i>Melitaea Thekla</i>	<i>Chlosyne theona thekla</i> (W. H. EDWARDS, 1870)
<i>Melitaea Ulrica</i>	<i>Texola elada ulrica</i> (W. H. EDWARDS, 1877)
<i>Melitaea Vesta</i>	<i>Phyciodes graphica vesta</i> (W. H. EDWARDS, 1869)
<i>Melitaea Wheeleri</i>	<i>Euphydryas anicia wheeleri</i> (Hy. EDWARDS, 1881)
<i>Melitaea Wrightii</i>	<i>Chlosyne leanira wrighti</i> (W. H. EDWARDS, 1886)
<i>Phyciodes Camillus</i>	<i>Phyciodes pulchella camillus</i> W. H. EDWARDS, 1871
<i>Phyciodes Canace</i>	<i>Phyciodes picta canace</i> W. H. EDWARDS, 1871
<i>Phyciodes Emissa</i>	<i>Phyciodes pulchella camillus</i> W. H. EDWARDS, 1871 = <i>Phyciodes emissa</i> W. H. EDWARDS, 1871 [JSS]
<i>Phyciodes Nycteis</i> var. <i>Drusius</i>	<i>Chlosyne nycteis drusius</i> (W. H. EDWARDS, 1884)
<i>Phyciodes Orseis</i>	<i>Phyciodes orseis</i> W. H. EDWARDS, 1871
[<i>Phyciodes Phaon</i>] form <i>Aestiva</i>	<i>Phyciodes phaon</i> (W. H. EDWARDS, 1864) = <i>Phyciodes phaon</i> f. <i>aestiva</i> W. H. EDWARDS, 1878 [Infr]
[<i>Phyciodes Phaon</i>] form <i>Hiemalis</i>	<i>Phyciodes phaon</i> (W. H. EDWARDS, 1864) = <i>Phyciodes phaon</i> f. <i>hiemalis</i> W. H. EDWARDS, 1878 [Infr]
[<i>Phyciodes Vesta</i>] form <i>Aestiva</i>	<i>Phyciodes graphica vesta</i> (W. H. EDWARDS, 1869) = <i>Phyciodes vesta</i> f. <i>aestiva</i> W. H. EDWARDS, 1878 [Infr]
[<i>Phyciodes Vesta</i>] form <i>Hiemalis</i>	<i>Phyciodes graphica vesta</i> (W. H. EDWARDS, 1869) = <i>Phyciodes vesta</i> f. <i>hiemalis</i> W. H. EDWARDS, 1878 [Infr]
<i>Synchloe Crocale</i>	<i>Chlosyne lacinia crocale</i> (W. H. EDWARDS, 1874)
[<i>Synchloe Crocale</i>] ab. <i>nigrescens</i>	<i>Chlosyne lacinia crocale</i> (W. H. EDWARDS, 1874) = <i>Synchloe crocale</i> ab. <i>nigrescens</i> W. H. EDWARDS, 1893 [Infr]
[<i>Synchloe crocale</i>] ab. <i>rufescens</i>	<i>Chlosyne lacinia crocale</i> (W. H. EDWARDS, 1874) = <i>Synchloe crocale</i> [ab.] <i>rufescens</i> W. H. EDWARDS, 1893 Infr]
Nymphalidae: Charaxinae	
<i>Paphia Morrisonii</i>	<i>Anaea aidea</i> (GUÉRIN-MÉNEVILLE, [1844]) = <i>Paphia Morrisonii</i> W. H. EDWARDS, 1883 [JSS]
Nymphalidae: Satyrinae	
<i>Caenonympha</i> [sic]! <i>Brenda</i>	<i>Coenonympha californica</i> WESTWOOD, [1851] = <i>Coenonympha Brenda</i> W. H. EDWARDS, 1869 [JSS]
<i>Caenonympha</i> [sic]! <i>Kodiak</i>	<i>Coenonympha kodiak</i> W. H. EDWARDS, 1869
<i>Chionobas Brucei</i>	<i>Oeneis polixenes brucei</i> (W. H. EDWARDS, 1891)
<i>Chionobas Iduna</i>	<i>Oeneis nevadensis iduna</i> (W. H. EDWARDS, 1874)
<i>Chionobas Macounii</i>	<i>Oeneis macounii</i> (W. H. EDWARDS, 1885)
<i>Chionobas Peartiae</i>	<i>Oeneis polixenes subhyalina</i> (J. CURTIS, 1835)

- [*Chionobas Semidea*] var. *Nigra* =*Chionobas Peartiae* W. H. EDWARDS, 1897 [JSS]
Oeneis melissa semidea (SAY, 1828) =*Chionobas semidea* [var.] *nigra* W. H. EDWARDS, 1894 [Infr]
Neominois ridingsii stretchii (W. H. EDWARDS, 1870)
Oeneis uhleri uhleri (Reakirt, 1866) =*Chionobas uhleri* var. *obscura* W. H. EDWARDS, 1892 [Individual var.]
Oeneis uhleri varuna (W. H. EDWARDS, 1882)
Coenonympha Ampelos
Coenonympha Elko
Coenonympha inornata
Coenonympha ochracea
Erebia Callias
Erebia Ethela
Erebia Haydenii
Erebia Meadii
Erebia Rhodia
Euptychia Henshawi
Euptychia Rubricata
Geirochilus [sic!] *Tritonia*
[*Satyrus Alope*] var. *Texana*
[*Satyrus Alope*] variety *Maritima*
- [*Satyrus Ariane*] *Baronii* =*Satyrus alope* var. *maritima* W. H. EDWARDS, 1880 [JSS]
Cercyonis pegala boopis (BEHR, 1864) =*Satyrus ariane baronii* W. H. EDWARDS, 1880 [JSS]
- [*Satyrus Ariane*] *incana*
Satyrus Charon
Satyrus Gabbii
[*Satyrus Nepheli*] variety *Olympus*
Satyrus Paulus
Satyrus Phocus
Satyrus Ridingsii
Satyrus Silvestris
Satyrus Wheeleri
- Cercyonis pegala incana* (W. H. EDWARDS, 1880)
Cercyonis oetus charon (W. H. EDWARDS, 1872)
Cercyonis pegala gabbii (W. H. EDWARDS, 1870)
Cercyonis pegala olympus (W. H. EDWARDS, 1880)
Cercyonis stheneli paulus (W. H. EDWARDS, 1879)
Cercyonis oetus phocus (W. H. EDWARDS, 1874)
Neominois ridingsii (W. H. EDWARDS, 1865)
Cercyonis stheneli silvestris (W. H. EDWARDS, 1861)
Cercyonis pegala wheeleri (W. H. EDWARDS, 1873)

NOCTUOIDEA

Erebidae: Catocalinae

- Catocala Briseis*
Catocala Californica
Catocala Editha =*Catocala editha* W. H. EDWARDS, 1874 (JSS)
Catocala Gracilis
Catocala Marmorata
Catocala Minuta
Catocala Nebulosa
Catocala Parvula =*Catocala parvula* W. H. EDWARDS, 1864 (JSS)
Catocala Serena
Catocala Similis
- Catocala briseis* W. H. EDWARDS, 1864
Catocala californica W. H. EDWARDS, 1864
Catocala amatrix (HÜBNER, [1813])
Catocala gracilis W. H. EDWARDS, 1864
Catocala marmorata W. H. EDWARDS, 1864
Catocala minuta W. H. EDWARDS, 1864
Catocala nebulosa W. H. EDWARDS, 1864
Catocala minuta W. H. EDWARDS, 1864
Catocala serena W. H. EDWARDS, 1864
Catocala similis W. H. EDWARDS, 1864

Explanatory Notes:

Abbreviations:

ab. = aberration

emend. = emendation

f. = form

IS = infrasubspecific taxon [unavailable name]

JH = Junior Homonym

JOS = Junior Objective Synonym

JSS = Junior Subjective Synonym

missp. = misspelling

NN = nomen nudum

var. = variety

Corrections/Additions

please report any corrections/additions to:

joe.belicek@shaw.ca